

04/26/00
jc815 U.S. PTO

LAW OFFICES
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC
2100 PENNSYLVANIA AVENUE, N.W.
WASHINGTON, DC 20037-3213
TELEPHONE (202) 293-7060
FACSIMILE (202) 293-7860
www.sughrue.com

jc511 U.S. PTO
04/26/00
09/559469

April 26, 2000

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Re: Application of Shinichi KUDO
METHOD OF SWITCHING BACKGROUND IMAGES IN ACCORDANCE WITH
MOVEMENT OF CHARACTERS, STORAGE MEDIUM FOR STORING
PROGRAMS, AND VIDEO GAME DEVICE
Our Ref. Q59040

Dear Sir:

Attached hereto is the application identified above including 15 sheets of the specification, claims, 7 sheet(s) of formal drawings, executed Assignment and PTO 1595 form, and executed Declaration and Power of Attorney.

The Government filing fee is calculated as follows:


Total claims	9	-	20	=		x	\$18.00	=	\$0.00
Independent claims	5	-	3	=	2	x	\$78.00	=	\$156.00
Base Fee									\$690.00

TOTAL FILING FEE	\$846.00
Recordation of Assignment	\$40.00
TOTAL FEE	\$886.00

Checks for the statutory filing fee of \$846.00 and Assignment recordation fee of \$40.00 are attached. You are also directed and authorized to charge or credit any difference or overpayment to Deposit Account No. 19-4880. The Commissioner is hereby authorized to charge any fees under 37 C.F.R. §§ 1.16 and 1.17 and any petitions for extension of time under 37 C.F.R. § 1.136 which may be required during the entire pendency of the application to Deposit Account No. 19-4880. A duplicate copy of this transmittal letter is attached.

Priority is claimed from April 27, 1999 based on Japanese Application No. 120756/1999. The priority document(s) will be submitted at a later date.

Respectfully submitted,
**SUGHRUE, MION, ZINN,
MACPEAK & SEAS, PLLC**
Attorneys for Applicant

By: 
Alan J. Kasper
Registration No. 25,426

METHOD OF SWITCHING BACKGROUND IMAGES IN ACCORDANCE
WITH MOVEMENT OF CHARACTERS, STORAGE MEDIUM
FOR STORING PROGRAMS, AND VIDEO GAME DEVICE

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to a display device for use in displaying characters and background images in a video game program and video game device, and more particularly, to an image display which is effectively operable in cases where a character is moving between scenes having mutually different backgrounds.

Description of the Related Art

With increases in hardware processing capacity, there has been a steady improvement in image quality in all game software over recent years. In general, improved image quality signifies an increase in the quantity of image data. This means that a waiting time tends to become long during transferring data from an external storage device to a memory.

A waiting time of this type does not practically cause any serious problem to occur in some sorts of games, such as a chess game, a strategic simulation game, executed in accordance with video game programs. This is because real-time manipulation of a player is not directly concerned with results of such games, although absence of any waiting time is ideal in such games also. In other words, such a waiting time adversely and significantly does not affect the result of such games.

In contrast to these games, in games, such as action games, the real-time reactions of the player have a significant effect on the result of the game. In consequence, any waiting time seriously and directly influences a result of the game because the rhythm of the player's input operations is turbulent due to the waiting time. This may cause significant stress to the player.

In particular, many of the typical domestic video game devices of recent years use an optical disk, such as a CD-ROM, as a storage medium. However, such optical disks have a slow data reading speed as compared to other external storage devices, such as a fixed magnetic disk device, or the like. Such optical disks are therefore particularly susceptible to the problem described above.

Herein, consideration is made about a case where the background changes due to the fact that a character has moved from in front of the current background to an adjacent background. Then if it is supposed that all of the backgrounds in the directions to which the character could possibly move have been previously read in from an external storage device, the aforementioned waiting time will not arise, whatever direction the character moves in.

However, if high-quality background images are being used, as in current games, then the amount of background image data will inevitably increase, and it therefore becomes impossible to transfer all of the adjacent background images previously into a limited RAM space. Consequently, if the character is about to move forwards from the end region of a screen, it is necessary to switch between background images, and this requires the external storage device to be accessed.

SUMMARY OF THE INVENTION

In view of the foregoing, the object of the present invention is to provide an image display method, storage medium and video game device, whereby the

occurrence of waiting time associated with reading from an external storage device can be reduced, especially in the case of fighting scenes in action games, where real-time response is a particularly important requirement.

In order to achieve the foregoing object, the present invention provides an image display method, storage medium and video game device as described below.

The present invention provides an image display method of displaying an image of a player character and images of non-player characters, together with one type of background image from at least two or more switchable types of background image, in a video game device, comprising the steps of: predetermining a plurality of operational modes which may be assumed by the player character, and preparing an image corresponding to each operational mode; displaying an image of the player character corresponding to any one of the plurality of operational modes and images of the non-player characters, simultaneously with any one of the background images; and restricting the changing of the background images from the start until the completion of a predetermined particular operational mode of the plurality of operational modes. By means of this image display method, since changing of the background images is restricted during a particular operational mode, by setting this particular operational mode to be an operational mode wherein the player demands operation having good real-time characteristics, it is possible to excite the player more and more without being bothered by time required for storage medium reading operations.

This method is suitable for the video game displaying an image of a player character with a weapon. In the video game, the player character has plural operational modes including a fighting mode and a moving mode. The fighting mode represents a state wherein the player character is able to fight by the use of the weapon and is set as the particular operational mode. The

moving mode represents a state wherein the character moves whilst carrying the weapon.

Moreover, the present invention provides a computer-readable storage medium storing an image display program for displaying an image of a player character and images of non-player characters, together with one type of background image from at least two or more switchable types of background image, in a video game device, comprising: a region storing images corresponding respectively to a plurality of predetermined operational modes which can be adopted by the player character; and a region storing an image display program for causing a video game device to implement processing for displaying an image of a player character corresponding to any one of the plurality of operational modes and images of non-player characters, simultaneously with any one of the background images, and processing for restricting the changing of the background images from the start until the completion of a predetermined particular operational mode of the plurality of operational modes. By means of the image display program stored on this storage medium, since changing of background images is restricted during a particular operational mode, by setting this particular operational mode to be an operational mode wherein the player demands operation having good real-time characteristics, the player is able to absorb himself or herself in the game, without being bothered by time required for storage medium reading operations.

By determining the amount of information relating to each of the background images on the basis of the video RAM capacity of the video game device, it is possible to display high-quality images whilst suppressing the occurrence of storage medium reading operations.

It is beneficial if the image of the player character is an image displaying the player character in a state where it is carrying a weapon, and if the plurality of operational modes include a fighting mode representing a state wherein the

player character is able to fight using the weapon, and a moving mode representing a state wherein the character moves whilst carrying the weapon, the fighting mode being set as the particular operational mode.

The present invention is particularly beneficial if an image display program of this kind is incorporated in a portion of a game program. Furthermore, the present invention is also particularly beneficial in the case of a storage medium requiring a relatively long reading time, such as an optical disk. A storage medium of this kind may be contained inside a video game device.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a functional block diagram showing a compositional example of a video game device suitable for implementing a video game relating to the present invention;

Fig. 2 is a flowchart illustrating a procedure for changing backgrounds in a video game according to one embodiment of the present invention;

Fig. 3 is an example of a screen display in moving mode;

Fig. 4 is an example of a screen display in moving mode;

Fig. 5 is an example of a screen display after movement to an adjacent scene;

Fig. 6 is an example of a screen display in fighting mode; and

Fig. 7 is an example of a screen display in fighting mode.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Initially, the hardware structure of a video game device 100 suitable for implementing the video game program relating to the present invention will be described. The video game device 100 reads game programs and data out of a storage medium, such as an optical disk, or the like, and outputs images and sound to a player. The player performs operational inputs or manipulations by

the use of a controller.

The general composition of the video game device 100 is described with reference to Fig. 1. The video game device 100 comprises: a control section 110 for controlling the operation of the whole device; an image processing section 120 for carrying out processing relating to image display; a sound processing section 130 for carrying out processing relating to sound output; an auxiliary storage control section 140 for reading out game programs and data of various types from a storage medium; a communications control section 150 for reading and writing data, such as operations performed by the player, game settings, game progress status, and the like, and controlling the input and output of other data; and a main bus 160 connected between the aforementioned control section 110 and the communications control section 150.

Next, description will be directed to internal constitution from the control section 110 to the communication control section 150.

The control section 110 comprises: a CPU 111; a peripheral device controller 112 for performing various control operations, such as interrupt control, time control, memory control, direct memory access (DMA) transfer, and the like; a principal storage device (main memory) 113 consisting of a RAM; and a ROM 114 storing programs such as an operating system (OS) for managing the main memory 113, image processing section 120, sound processing section 130, and the like.

The CPU 111 controls the whole device by executing an OS stored in the ROM 114. Furthermore, the CPU 111 is also provided with a command cache and scratch pad memory, and it manages the actual memory.

The image processing section 120 comprises: a geometry transfer engine (GTE) 121; a graphics processing unit (GPU) 122 for performing drawing operations in accordance with drawing commands from the CPU 111; a frame buffer 123 for storing images drawn by the GPU 122; an image decoder

(MDEC) 124 for decoding image data that has been orthogonally converted by so-called discrete cosine transform, or the like, and then compressed and converted; and a video output section 125, such as a display device, or the like.

The sound processing section 130 comprises: a sound reproduction processor (SPU) 131 for generating sounds, on the basis of commands from the CPU 111, a sound buffer 132 for storing sound and music data, sound source data, and the like, read out from a CD-ROM; and a sound output section 133, such as an amplifier and a speaker, for outputting the sounds generated by the SPU 131.

The auxiliary storage control section 140 comprises: a CD-ROM drive device 143 for reproducing programs, data, and the like, stored on a CD-ROM disk; a decoder 141 for decoding programs, data, and the like, that has been stored by appending error correction (EC) codes; and a CD-ROM buffer 142 for temporarily storing reproduced data from the CD-ROM drive device 143. The communications control section 150 comprises: a communications control device 151 for controlling communication with the CPU 111 via a main bus 160; a controller 152 for inputting commands from a user; and a memory card 153, which is a readable and writeable storage medium storing game settings, and the like.

Next, the general operation of the video game device 100 will be described.

When the power supply of the video game device 100 is switched on, the OS stored in the ROM 114 is executed by the CPU 111 and controls the image processing section 120 and sound processing section 130, and the like. Firstly, the OS performs an initialization procedure, involving operational verification, and the like, for the whole device, whereupon it controls the auxiliary storage control section 140 and executes a game program stored on a CD-ROM accommodated in the CD-ROM drive device 143. Next, the CPU 111

controls the image processing section 120, sound processing section 130, and the like, in accordance with the executed game program and the inputs made by the player via the controller 152.

As a result, images are displayed by the video output section 125, whilst sounds, such as sound effects, music, and the like, are output from the sound output section 133. If there is a temporary pause in the game, the current game progress status is written to the memory card 153 as saved data. When the interrupted game is restarted, this saved data is read from the memory card 153 into the main memory 113 and the corresponding game progress status is recreated.

Next, a video game representing one embodiment of the present invention is described. The video game in the example described below principally displays and develops screens representing a player character, non-player characters and background looked downwards from an oblique upward position. The player character and the non-player characters carry weapons, such as swords, or the like, and they fight with one another by using these weapons. In a so-called samurai game, to use the latest expression, a fight involving one (player character) against many (non-player characters) is performed. In the present specification, the player character is a character operated in accordance with inputs from the input device of the video game device, and the non-player characters are characters whose operation is predetermined by the game program.

A whole game comprises a number of different stages, and each stage forms a single story. Moreover, each stage is made up of many different scenes. Each scene has a background corresponding to a single theme, and the size of the background image is such that it can be read out from the CD-ROM drive 143 in a single reading operation.

The player character moves through a scene against this background, in accordance with the operational inputs from the controller 152. There are two operating modes for the player character: a fighting mode representing a state where the character is able to fight using its weapon, and a moving mode representing a state wherein the character is able to move carrying its weapon.

Herein, consideration will be made about an example wherein the player character is carrying a Japanese samurai sword. In the moving mode, the player character enters the sword in its scabbard and is put into a state where it cannot grasp the haft thereof. In fighting mode, the player character often draws the sword out of the scabbard in order to perform repeated attacks at any times. The fighting mode represents a state wherein the character is able to launch repeated attacks instantaneously. Therefore, if the player character uses a so-called 'quick draw' technique and then the blade of the sword, of which the haft is held by the character may be kept in the scabbard.. This switching of operational modes is assigned to a prescribed push button switch on the controller 152, and is implemented according to the operational inputs performed by the player.

An overview of the procedure for switching backgrounds in a video game relating to the present invention is now described with reference to Fig. 2. If, during the movement of a player character (PC) (step 201), a condition for changing a predetermined background is generated (step 202), then the operational mode of the player character is determined (step 203). Here, a condition for changing the background is, for example, the condition of whether or not the player character has entered a boundary region between scenes, as described above.

The differences in image display at the scene-to-scene boundary regions between moving mode and fighting mode are now described with reference to Figs. 3 through 7. Furthermore, Figs. 3, 4, 6 and 7 are scenes

before movement, and Fig. 5 depicts a scene after movement.

If it is assumed that the operational mode is put into a moving mode (Fig. 3) and the player character 301 has entered a scene-to-scene boundary region (Fig. 4) and is about to move further into the subsequent adjacent scene, then the CD-ROM drive 143 reads background image data for the new scene from the CD-ROM, and hence a data reading time occurs.

In contrast to this, if it is assumed that the operational mode is put into a fighting mode (Fig. 6) and the player character 301 has entered a scene-to-scene boundary region (Fig. 7), then the scene is not switched and the background remains the same even if the player character 301 moves further in the leftward direction on the screen. Therefore, no CD-ROM reading time occurs.

According to the present invention, since the range of movement of a player character is restricted in accordance with the operational mode of the player character, it is possible to prevent the occurrence of external storage device reading operations during fighting scenes which have the greatest sense of urgency in a game. Thereby, the present invention is beneficial in that it makes it possible to relieve and eliminate the stress caused to the player by the occurrence of external storage device reading operations during a game.

In the foregoing, the present invention has thus far been described with reference to an embodiment, but it is possible for those skilled in the art to put the present invention into practice in various other manners without being restricted to the above-mentioned embodiment.

WHAT IS CLAIMED IS:

1. A method of displaying, in a video game device, an image of a player character and images of non-player characters, together with one type of background image from at least two or more switchable types of background images, comprising the steps of:

predetermining a plurality of operational modes which are assigned to said player character, and preparing an image corresponding to each operational mode;

displaying an image of the player character corresponding to any one of said plurality of operational modes and images of said non-player characters, simultaneously with any one of said background images; and

restricting the changing of said background images from the start until the completion of a predetermined particular operational mode of said plurality of operational modes.

2. The method according to claim 1, wherein the amount of information relating to each of said background images is determined on the basis of the video RAM capacity of said video game device.

3. The method according to claim 1, wherein the image of said player character is an image displaying said player character in a state where it is carrying a weapon;

said plurality of operational modes include a fighting mode representing a state wherein said player character is able to fight using said weapon, and a moving mode representing a state wherein said character moves whilst carrying said weapon; and

said fighting mode is set as said particular operational mode.

4. A computer-readable storage medium storing an image display program for displaying an image of a player character and images of non-player

characters, together with one type of background image from at least two or more switchable types of background image, in a video game device, comprising:

a region storing images corresponding respectively to a plurality of predetermined operational modes which can be adopted by said player character; and

a region storing an image display program for causing a video game device to implement processing for displaying an image of a player character corresponding to any one of said plurality of operational modes and images of non-player characters, simultaneously with any one of said background images, and processing for restricting the changing of said background images from the start until the completion of a predetermined particular operational mode of said plurality of operational modes.

5. The storage medium according to claim 4, wherein the amount of information relating to each of said background images is determined on the basis of the video RAM capacity of said video game device.

6. The storage medium according to claim 4, wherein the image of said player character is an image displaying said player character in a state where it is carrying a weapon;

said plurality of operational modes include a fighting mode representing a state wherein said player character is able to fight using said weapon, and a moving mode representing a state wherein said character moves whilst carrying said weapon; and

said fighting mode is set as said particular operational mode.

7. A storage medium storing a game program incorporating the image display program, the image display program comprising the steps of :

predetermining a plurality of operational modes which are assigned to said player character, and preparing an image corresponding to each

operational mode;

displaying an image of the player character corresponding to any one of said plurality of operational modes and images of said non-player characters, simultaneously with any one of said background images; and

restricting the changing of said background images from the start until the completion of a predetermined particular operational mode of said plurality of operational modes.

8. An optical disk storing a game program incorporating the image display program , the image display program comprising the steps of :

predetermining a plurality of operational modes which are assigned to said player character, and preparing an image corresponding to each operational mode;

displaying an image of the player character corresponding to any one of said plurality of operational modes and images of said non-player characters, simultaneously with any one of said background images; and

restricting the changing of said background images from the start until the completion of a predetermined particular operational mode of said plurality of operational modes.

9. A video game device internally comprising the storage medium storing a game program incorporating the image display program , the image display program comprising the steps of :

predetermining a plurality of operational modes which are assigned to said player character, and preparing an image corresponding to each operational mode;

displaying an image of the player character corresponding to any one of said plurality of operational modes and images of said non-player characters, simultaneously with any one of said background images; and

restricting the changing of said background images from the start until the completion of a predetermined particular operational mode of said plurality of operational modes.

ABSTRACT OF THE DISCLOSURE

On displaying, in a video game device, an image of a player character and images of non-player characters, together with one type of background image from at least two or more switchable types of background images, the background images are changed from one to another only while the player character disappears after completion of a particular operation mode.




FIG. 1




FIG.2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

6-1541
米国宣誓書

Declaration and Power of Attorney for Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者であると（下記の名称が複数の場合）信じています。

上記発明の明細書（下記の欄でX印がついていない場合は、本書に添付）は、

____月 ____日に提出され、米国出願番号または特許協定条約

国際出願番号を _____ とし、

（該当する場合） _____ に訂正されました。

私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。

私は、連邦規則法典第37編第1条56項に定義されるとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD OF SWITCHING BACKGROUND IMAGES

IN ACCORDANCE WITH MOVEMENT OF CHARACTERS,

STORAGE MEDIUM FOR STORING PROGRAMS,

AND VIDEO GAME DEVICE

the specification of which is attached hereto unless the following box is checked:

was filed on _____
as United States Application Number or
PCT International Application Number

_____ and was amended on
_____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Japanese Language Declaration

(日本語宣言書)

私は、米国法典第35編第119条(a)-(d)項又は第365条(b)項に基づき下記の、米国以外の国の少なくとも一ヵ国を指定している特許協力条約第365条(a)項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior Foreign Applications 外国での先行出願

120756/1999	Japan
(Number) (番号)	(Country) (国名)
_____	_____
(Number) (番号)	(Country) (国名)

私は、第35編米国法典119条(e)項に基づいて下記の米国特許出願規定に記載された権利をここに主張致します。

(Application No.) (出願番号)	(Filing Date) (出願日)
-----------------------------	------------------------

私は、下記の米国法典第35編第120条に基づいて下記の米国特許出願に記載された権利、又は米国を指定している特許協力条約第365条(c)に基づく権利をここに主張します。又、本出願の各請求範囲の内容が米国法典第35編第112条第1項又は特許協力条約で規定された方法で先行する米国特許出願に開示されていない限り、その先行米国出願書提出日以降で本出願書の日本国内又は特許協力条約国際出願提出日までの期間中に入手された、連邦規則法典第37編第1条第56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

(Application No.) (出願番号)	(Filing Date) (出願日)
(Application No.) (出願番号)	(Filing Date) (出願日)

私は、私自身の知識に基づいて本宣言中で私が行う表明が真実であり、かつ私の入手した情報と私の信ずるところに基づく表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の声明を行えば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim foreign priority under Title 35, United States Code, Section 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Priority Not Claimed 優先権主張なし

27 April 1999	<input type="checkbox"/>
(Day/Month/Year Filed) (出願年月日)	<input type="checkbox"/>
_____	<input type="checkbox"/>
(Day/Month/Year Filed) (出願年月日)	<input type="checkbox"/>

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.) (出願番号)	(Filing Date) (出願日)
-----------------------------	------------------------

I hereby claim the benefit of Title 35, United States Code Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose any material information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

(Status: Patented, Pending, Abandoned) (現況: 特許可済、係属中、放棄済)
(Status: Patented, Pending, Abandoned) (現況: 特許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Japanese Language Declaration

(日本語宣言書)

委任状：私は、下記の発明者として、本出願に関する一切の手続きを米国特許商標局に対して遂行する弁理士又は代理人として、下記のものを指名致します。(弁護士、又は代理人の氏名及び登録番号を明記のこと)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number)

John H. Mion, Reg. No. 18,879; Thomas J. Macpeak, Reg. No. 19,292; Robert J. Seas, Jr., Reg. No. 21,092; Darryl Mexic, Reg. No. 23,063; Robert V. Sloan, Reg. No. 22,775; Peter D. Olexy, Reg. No. 24,513; J. Frank Osha, Reg. No. 24,625; Waddell A. Biggart, Reg. No. 24,861; Louis Gubinsky, Reg. No. 24,835; Neil B. Siegel, Reg. No. 25,200; David J. Cushing, Reg. No. 28,703; John R. Inge, Reg. No. 26,916; Joseph J. Ruch, Jr., Reg. No. 26,577; Sheldon I. Landsman, Reg. No. 25,430; Richard C. Turner, Reg. No. 29,710; Howard L. Bernstein, Reg. No. 25,665; Alan J. Kasper, Reg. No. 25,426; Kenneth J. Burchfiel, Reg. No. 31,333; Gordon Kit, Reg. No. 30,764; Susan J. Mack, Reg. No. 30,951; Frank L. Bernstein, Reg. No. 31,484; Mark Boland, Reg. No. 32,197; William H. Mandir, Reg. No. 32,156; Scott M. Daniels, Reg. No. 32,562; Brian W. Hannon, Reg. No. 32,778; Abraham J. Rosner, Reg. No. 33,276; Bruce E. Kramer, Reg. No. 33,725; Paul F. Neils, Reg. No. 33,102 and Brett S. Sylvester, Reg. No. 32,765

書類送付先：


Send Correspondence to:

SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC
2100 Pennsylvania Avenue, N.W., Washington, D.C. 20037-3202

直通電話連絡先：(名称及び電話番号)

Direct Telephone Calls to: (name and telephone number)

(202)293-7060

唯一又は第一発明者名	Full name of sole or first inventor SHINICHI KUDO		
発明者の署名	日付	Inventor's signature 	Date April 21, 2000
住所	Residence Sapporo-shi, Hokkai-do, Japan		
国籍	Citizenship Japanese		
郵便の宛先	Post office address 1-8-501, Kikusui 4jo 2-chome, Shiroishi-ku, Sapporo-shi, Hokkai-do, Japan		
第二共同発明者名(該当する場合)	Full name of second joint inventor, if any		
第二発明者の署名	日付	Second inventor's signature	Date
住所	Residence		
国籍	Citizenship		
郵便の宛先	Post office address		

(第三以降の共同発明者についても同様に記載し、署名をすること。(Supply similar information and signature for third and subsequent joint inventors.)